



# OVEN COMPONENTS

TURKEY

HONG KONG

RUSSIA

CHINA

TAIWAN

**SEMTECH**




## GAS VALVE

For the all products which we are supplying such as Brass Gas Valves and Brass Fittings, we can supply American Standard, British Standard and European Standard. We can produce OEM design.

## OVEN FAN MOTOR

- Fan Bladed Shaded Pole Motor
- Application: Oven, Grill
- Rated Voltage: 120V/230V
- Rate Frequency: 50/60Hz
- Input Power: 15W-40W
- Rotation: Cw, Ccw



## OVEN DRAIN PUMP MOTOR

- Radial Fan
- The motor used for ovens, cooling equipments, ventilation and cooling systems.
- Rated Voltage: 220V/240V
- Rate Frequency: 50/60Hz
- Input Power: 15W-40W
- Rotation: Cw, Ccw






LIGHTNING COMPONENTS

- E14 T300 OVEN BULB
- E14 OVEN LAMP 25W
- E14 OVEN LAMP 15W

ROTARY SWITCHES

- Rotary Switches
- Rating 10A 250 V Ac / 16A 125 V Ac
- Mechanical Life: Over 25000 Cycles
- Electrical Life: Over 10000 Cycles
- Insulation Resistance: <20M Ohm



TIMER

- Mechanic Oven Timer
- Time Range 30-60-90-120-150-180 (Minute)
- Temperature 125 °C
- Types Cw-Ccw
- Voltage And Current Ac 125V/13A—Ac 250V/6.5A



## MEAT PROBE

- Working Range:  $-5^{\circ}\text{C} \sim +250^{\circ}\text{C}$
- Material Of Stainless Steel
- Silicon Are Toxin Free
- Pt-51F-s1 Sensor
- $R_{100^{\circ}\text{C}} = 3.3\text{K} \cdot \pm \%2.5$
- B Constant (B 25/50=4100K  $\pm \%1$ )

## RECEPTACLE

- Working Range:  $-5^{\circ}\text{C} \sim +300^{\circ}\text{C}$ ,
- With Hex Nut, Washer And Cover
- Din46244, 2.8 X 0.8

